
REACTIONS OF PORPHYRINS IN SURFACTANT ASSEMBLIES MICROEMULSIONS AND IN SOLUTIONS(U) ROCHESTER UNIV MY DEPT OF CHEMISTRY D G WHITTEN 25 JUN 87 ARO-20766 7-CH DARG29-84-K-0011 F/G 7/3 AD-A184 797 1/1 UNCLASSIFIED NL



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS 1963 A

REACTIONS OF PORPHYRINS IN SURFACTANT ASSEMBLIES, MICROEMULSIONS

AND IN SOLUTIONS

FINAL REPORT



DAVID G. WHITTEN

JUNE 25, 1987

U. S. ARMY RESEARCH OFFICE

CONTRACT/GRANT NUMBER: DAAG29-84-K-0011

THE UNIVERSITY OF ROCHESTER

DISTRIBUTION STATEMENT A

Approved for public release; Distribution Unlimited

9 273

REPORT DOCUMENTATION PAGE									
1a REPORT SECURITY CLASSIFICATION	16 RESTRICTIVE MARKINGS								
Unclassified 2a. SECURITY CLASSIFICATION AUTHORITY	3 DISTRIBUTION/AVAILABILITY OF REPORT								
28. SECONITY CENSSIFICATION AUTHORITY									
26 DECLASSIFICATION / DOWNGRADING SCHEDU	Approved for public release; distribution unlimited.								
4 PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S)							
	ARO 20766.7-CH								
6a. NAME OF PERFORMING ORGANIZATION	7a. NAME OF MONITORING ORGANIZATION								
Department of Chemistry	6b OFFICE SYMBOL (If applicable)	74. NAME OF MONTONING GROANEATION							
		U. S. Army Research Office							
6c. ADDRESS (City, State, and ZIP Code)	7b. ADDRESS (City, State, and ZIP Code)								
University of Pechaster	P. O. Box 12211								
University of Rochester Rochester, New York 14627	Research Triangle Park, NC 27709-2211								
8a. NAME OF FUNDING/SPONSORING	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER								
ORGANIZATION U. S. Army Research Office	(If applicable)	DAA629-84-K-0611							
8c. ADDRESS (City, State, and ZIP Code)			FUNDING NUMBERS						
P. O. Box 12211		PROGRAM	PROJECT	TASK		WORK UNIT			
Research Triangle Park, NC 27	7709-2211	ELEMENT NO.	NO.	NO.		ACCESSION NO			
			<u> </u>						
11. TITLE (Include Security Classification) Reactions of Porphyrins in Surfactant Assemblies, Microemulsions and in Solutions.									
12 PERSONAL AUTHOR(S) David G. Whitten									
13a. TYPE OF REPORT 13b. TIME CO From 12	4. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT 1987, June, 25			OUNT					
16 SUPPLEMENTARY NOTATION The view opinions and/or findings contained in this recent and the									
The view, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position									
of the author(s) and should not be construed as an official Department of the Army position policy, or decision, unless so designated by other documentation.  17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)									
FIELD GROUP SUB-GROUP	porphyrins,	monolayers,	reversed mic	elle	s, mice	elles,			
	•	ry, photooxidations, singlet oxygen,							
	superoxide.								
19 BSTRACT (Continue on reverse if necessary and identify by block number)									
Our ARO-sponsored research has focused on three different areas, all of which center around									
photochemical reactions occurring in microheterogeneous media. The first area of investiga-									
tion has been of photoisomerizations and related processes occurring in spread monolayer films at the air-water interface as well as in supported multilayer assemblies. Our									
studies in this area have demonstrated that reactivity in the spread films can be pro-									
foundly different from that occurring in solution. Moreover we have been able to inves-									
tigate systematically specific factors such as the effect of film compression and the									
presence of various liquids such as water within or in contact with the film or assembly.									
A number of our findings in this area have been published and more publications will result									
from studies not yet completed.									
We have also studied extensively reactions occurring across an interface. Specifically we									
have examined photooxidations which are initiated from a light-absorbing sensitizer contained in a film or an assembly but have the chemical consequence of reaction of a (cont'd)									
tained in a film or an assemb 20 DISTRIBUTION/AVAILABILITY OF ABSTRACT	Ty but have the				tion of	a (cont'd)			
UNCLASSIFIED/UNLIMITED SAME AS I	21. ABSTRACT SECURITY CLASSIFICATION Unclassified								
228 NAME OF RESPONSIBLE INDIVIDUAL		(Include Area Code)	22c. (	OFFICE SY	MBOL				
		L							

## SECURITY CLASSIFICATION OF THIS PAGE

cont'd: (19)

solute either contained at a different site in the assembly or present in a contacting aqueous or mixed aqueous-organic solution. While we have found that these interface-spanning reactions can be quite efficient in certain cases, we have also investigated extensively environmental factors which can retard or eliminate them. Most of the reactions that we have investigated thus far originated by sensitization of singlet oxygen, a highly reactive but relatively short-lived reagent. Singlet oxygen has been found to migrate with relative ease through a number of different media, although we find that penetration of highly condensed or compressed films clearly retards the migration of the active oxygen, at least during its excited state lifetime. Although we have used a variety of light-absorbing molecules to initiate these reactions, most of our studies have focused on some synthetic porphyrins which absorb relatively strongly in the visible and near ultraviolet regions. These porphyrins have been specifically designed and synthesized due to their excellent film-forming abilities.

The synthetic porphyrins that we have used exist as various stereoisomers; the third part of our studies has been an investigation of the reactivities of these various stereoisomers of synthetic porphyrins at interfaces. We have been particularly interested in the relative ability of these porphyrins to be incorporated in or pass through an interface such as that formed when phospholipids are dispersed in water. We have found that the reactivity of different porphyrin stereoisomers at interfaces differs dramatically from that observed in solution. For example, we find the porphyrins are much stronger bases at anionic interfaces and undergo metal ion incorporation, in some cases, several orders of magnitude more rapidly than in solution. Preliminary results suggest that the different behavior of porphyrin stereoisomers can be largely associated to different differential orientation at charged interfaces. This should result in pronounced differences in the ability of the porphyrins to act as photosensitizers in a number of different photochemical reactions.

Nesent	n For	-		
NTIS DTIC Ununna dustilin	TAB punced		NSP.	CED 🛔
By Distrib	ution /			
A	vadability :	Codes		
Dist	Aturk and Specifi			
A-1		and the		

10-81

15110